

From Constraints to Cognition: Integrating Bounded Rationality into AI Design for Realistic Decision-Making

Shahzaib Khan¹

¹Research Scholar, College of Graduate and Professional Studies, Trine University, Detroit, Michigan, United States of America, ORCID: <https://orcid.org/0009-0009-5984-9846>, Email: skhan243@my.trine.edu

ARTICLE INFO			ABSTRACT
Article History:			<i>This study explores how bounded rationality through the mechanisms of satisficing and heuristics can be systematically embedded into AI system design to enhance human-likeness, cognitive realism, and decision-making efficiency under uncertainty, time pressure, and information overload. While prior work has largely focused on optimizing accuracy or speed, this research addresses the gap in aligning AI behavior with realistic human cognitive constraints. Using a cross-sectional quantitative design, data were collected via structured questionnaires from domain-relevant respondents. Partial Least Squares Structural Equation Modeling (PLS-SEM) was employed to test hypothesized mediation relationships between environmental factors (time pressure, uncertainty, information overload) and AI design outcomes (human-likeness, cognitive AI design, realism) via bounded rationality mechanisms. Results show that satisficing significantly mediates the relationship between time pressure and cognitive AI design ($\beta = 0.312, p < 0.001$) and between information overload and human-likeness ($\beta = 0.287, p < 0.001$). Heuristics also positively influence realism ($\beta = 0.295, p < 0.01$). Trust, transparency, and engagement demonstrated weaker direct effects ($\beta < 0.10, p > 0.05$). With 48 percent of the variation in the most important outcomes explained through mediation effects, the model proved to have a decent fit (SRMR = 0.062; NFI = 0.88). This study presents a new, experimental-verified bounded rationality-based AI design model, which can offer practitioners with actionable changes to make their algorithms appear more human and adapt to new experiences. The potential of further research in this framework is to apply it to AI applications related to a particular domain.</i>
Received:	June	10, 2025	
Revised:	July	14, 2025	
Accepted:	August	02, 2025	
Available Online:	August	15, 2025	
Keywords:			
boundedly rational behavior, satisficing, heuristics, cognitive design of artificial intelligence, human-likeness, realism, PLS-SEM, decision-making			
Corresponding Author:			
Shahzaib Khan			
Email:			
skhan243@my.trine.edu			

**OPEN ACCESS**



Introduction

Artificial intelligence (AI) evolution has drastically changed the decision-making process in various fields and especially in situations that are complex, ambiguous or involve a lot of stakes. The traditional models of rational choice, which are heavily imbued with economic and normative theories, are not very useful in reflecting the reality of how choices are being made under real world situations of a constrained environment. Humans are mere agents limited in time, information processing as well as availability of cognitive resources and not perfectly rational agents. Based on these considerations, bounded rationality is an emergent principle in the AI design research (And there are more works being published such as: Akter et al., 2022; Feuerriegel et al., 2023; Bhui et al., 2021; Hussain et al., 2024; Raza & Minhas, 2025). It is important to take notice to these limitations when building AI that will not only be accurate but that would also be able to be compatible with how human beings think. Since AI is penetrating into sensitive fields, including healthcare, law, and security, the leading factor demands to be cognitively realistic and trustworthy systems.

The theory of bounded rationality developed by Herbert A. Simon is based on such a premise that the process of human decision-making is dictated by cognitive shortcomings and lack of perfect knowledge. As opposed to rational actors in theory, human beings tend to be satiated with attaining a solution good enough instead of being optimal. It is otherwise in line with the results of behavioral economics, which identify how people can overcome complicated situations with the help of heuristics (Kahneman & Tversky, 1979; Gigerenzer & Gaissmaier, 2011). Advanced studies have expanded this knowledge to AI systems, where it has been realized that such systems can be further improved through adaptation of human heuristics, as a way of aligning its interaction and decision-making (Gershman & Bhui, 2020; Kordzadeh & Ghasemaghahi, 2022; Ehsan et al., 2021; Ullah & Zhang, 2024; Ahmed et al., 2025). The integration of these mental patterns into the machine logic can make AI resonate more with the behavior of the users and their expectations.

Artificial intelligence (AI) sector has strengthened in the recent years and developed into one of the most impactful industries in the world. Optimized through exponential increases in sheer computing power, big data analytics, and algorithmic prediction, AI is rapidly being incorporated into such fields as financial services, healthcare, manufacturing, and government. Recent literature points out the rise in the rates of investment and implementation of AI, especially in emerging economies in attempts to fill operational gaps and rise to scale innovation factor (Akter et al., 2022; Feuerriegel et al., 2023; Nasir et al., 2023; Hussain et al., 2024; Raza & Minhas, 2024).

The possibility to instill cognitive realism in AI poses a revolutionary potential within industries that are based on human-AI collaborating. AI can be more intuitive and effective through the integration of heuristics, the principles of satisficing, and the explainability. Feuerriegel et al. (2023) state that cognitively aligned AI enhances trust and outcomes of decisions. On the same note, Hameed and Rana (2022) document that companies implementing human-compatible AI have a user acceptance rate. Raza and Minhas (2024) indicate that the training and onboarding expenses are reduced as well, which makes such systems more efficient by enhancing return on investment.

Literature Review

The effect of the time pressure on the level of the decision making varies considerably depending on the situation being faced with, like in high-stakes situations where hasty decisions have to be

made. Time limits in the AI assisted decision systems lower the capacity of the users to process all the information presented before them thus resulting in turning to heuristics and simplified processing. The existing literature revealed that users tend to blindly follow AI recommendations that seem to be developed based on time pressure (Akter et al., 2022; Ahmed et al., 2023; Zahid et al., 2024). This renders time-constrained AI design to prevent over-dependence or blind faith. Rehman and Ali (2025) state that temporal constraints negotiated adaptive AI interfaces can increase the usability without compromising on mental effort.

The most prominent feature of bounded rationality is the practice of satisficing, which is choosing an acceptable answer and not the best one. Satisficing was the proposed realistic choice introduced by Simon (1956) instead of utility maximization. Satisficing behavior is typical in the AI-aided tasks, particularly during those involving incomplete information, time limitation and emotional uncertainty in making decisions. Recent work by Raza and Minhas (2024), Bhui et al. (2023), and Feuerriegel et al. (2023) validates that users often default to satisficing even when optimal solutions are computationally available. AI systems must be designed to support this behavior by providing layered choices and intermediate feedback.

Heuristics are cognitive shortcuts that help simplify decisions under pressure or uncertainty. Their role in AI interaction is twofold: users employ them when processing AI outputs, and AI itself may be designed with heuristic-based models to improve speed and realism. (Zaman et al., 2025) Recent developments in explainable AI (XAI) have adopted heuristics to improve transparency (Zahid et al., 2024; Hussain et al., 2024; Ahmed et al., 2023). Gershman and Bhui (2020) suggest that AI built around bounded heuristics can produce decisions more aligned with human expectations than exhaustive algorithms. Hence, heuristics should not be removed but assisted since they are cognitive assets.

Moderating variables, like the level of trust, the user engagement, and the transparency, becomes a key determinant of how and to what extent the relationships among cognitive behavior of the user and the technical AI outcome would proceed in AI-driven decision-support. AI trust is a decisive factor in the decision of a system being accepted, especially when there is uncertainty and/or complexity to choose what is best course of action. Research established that the users tend to trust the AI results when they feel that the system is trustworthy and in line with human ethics (Feuerriegel et al., 2023; Zahid et al., 2024). The cognitive effort relating to decision-making is moderated by the user-engagement which is the extent to which users actively employs the AI system. Finally, transparency has benefits when it comes to increasing interpretability by making the logic and rationale of the AI outputs visible. This does not only enhance trust but also diminishes the blind use of heuristics. As Simon (1955) pointed out, bringing in line the sophistication of technologies used with the user understanding is essential such moderators make sure that mental constraints do not become a hindrance to using AI effectively but are addressed via improved design and outreach plans.

Theoretical Framework

Decision Theories: rationality and reality

The history of the decision-making theories has been long made an effort to reconcile the discrepancy between the rational assumptions and the real human behavior. Early models, e.g. expected utility theory (von Neumann 1944) or Bayesian decision theory, were predicated on the assumption that each person possesses the cognitive ability and time to analyze all possible possibilities. Nonetheless, Simon (1955) refuted this by bringing to fore the concept of bounded

rationality, in which case, the decision-makers work within the context characterized by limited information, time, and processing capacity. Contemporary views on this theory (particularly, those applied to digital and automated settings) underscore the point that AI is to acclimatise to such cognitive constraints as well (Akter et al., 2022; Zahid et al., 2024; Ahmed et al., 2023). Such insights form the basis of a body of work aimed at establishing AI that does not substitute, but complement human decisions.

Bounded Rationality as a Design Principle

Bounded rationality theory is one of the major theories that are guiding this study. According to this theory, individuals are not driven by optimization (conceived originally by Simon 1956) but merely good-enough choice in the available options. Its applicability to the digital setting has been strengthened in latest empirical research (Bhui et al., 2021; Akter et al., 2022; Zahid et al., 2024). Bounded rationality gives AI system design a mental footing to recognize human limitations. According to Gigerenzer and Gaissmaier (2011), this theory has also promoted more human-compatible AI, especially where uncertainty or a great amount of data is involved and optimization is impossible.

Dual-Process Theory in AI Interface Design

Other models that are applicable include Dual-Process Theory, which viewed as fast intuitive thinking (System 1) and slow, analytical thinking (System 2). Kahneman (2011) and Evans and Stanovich (2013) made it clear that most of the choices particularly in case of uncertainty or time pressure fall back on heuristic thinking. The more recent usages of AI design (Ahmed et al., 2023; Hameed & Rana, 2022; Bashir et al., 2024) aim at matching AI decisions with the System 1 (intuitive) justifications and provide the System 2 (more justifiable) rationales on the transparency. This two-prong strategy is beneficial to enhance the trust and cognitive agreement in AI-enriched decisions.

Human-AI Interaction Theory

Human-AI Interaction theory has also been picking up the pace especially in the areas of explainability and trust. The roots of the comprehension of the impact of perceived reliability and transparency on the dependence of automation were laid by Lee and See (2004). The latest models underline the co-adaptive character of the human and AI collaboration (Glikson & Woolley, 2020; Feuerriegel et al., 2023; Ullah & Zhang, 2024). Perceived agency, trust and transparency are major mediators that characterize the acceptability of systems. This conceptualises how it is important to consider the aspect of engagement and familiarity in the design of technical AI systems.




Figure 1 Human-Decision Making Inside

Heuristics and Biases in Human-AI Judgment

Heuristics and Biases Program, which was proposed by Tversky and Kahneman (1974) is still classical in explaining the reason why the users of the AI would still make poor choices despite AI. It demonstrates that people use mental shortcuts, like availability, anchoring, representativeness which are not only adaptive but can also have the venom of systematic errors. Recent research (Akhtar & Nasir, 2023; Ahmed et al., 2023; Zahid et al., 2024) presents the argument that transparency and user modeling clarity can help with these biases by means of AI. These biases are often not faults as Gigerenzer (2007) insists, rather they are reflections of cost-effective problem-solving algorithms when living in a complex setting.

Purpose and Main Objective of the Study

This paper will combine these theories in an attempt to discuss a hybrid approach to AI design a hybrid approach to incorporating principles of bounded rationality into the architecture of the

cognitive AI. This is aimed at determining the interaction of such constructs as satisficing, heuristics, trust, and transparency in generating more realistic outcomes of decision-making. The central goal is to develop a framework that fits the external restriction and cognitive bias and improves AI adoption and interaction. This model can be used as a roadmap to designing cognitively compatible AI systems based on foundational theories, and current research (Simon, 1956; Tversky & Kahneman, 1974; Bhui et al., 2021; Zahid et al., 2024; Bashir et al., 2024).

Introduction to Single & Multiple Variables & Theories Supporting and Negating Views

The presumption of bounded rationality has gained popularity through the notion that it is a pragmatic way to extend the classical models of decision-making in that they make the assumptions that an individual has access to all the possible information, and would then be able to calculate the best decision. Herbert Simon (1955) formulated this concept to describe the tendency of human beings with limited cognitive capacity and facing environmental limitations to make decisions, which are satisfactory instead of optimality. Later, Gigerenzer and Gaissmaier (2011) polished such a perspective and introduced the idea that under several real-life contexts, this limited way of decision-making is not only essential but instead healthy. Contemporary readings underline how bounded rationality applies to AI-aided decisions, as making rapid decisions under informational saturation and time pressures is something that users have to encounter (Zahid et al., 2024; Hameed & Rana, 2022; Akter et al., 2022). Other researchers, however, have said that an overemphasis on bounded rationality may suppress innovation or efforts to seek ideal long-term solutions, particularly for high-capacity digital situations where factors such as processing power are less limited than on human brains.

Mediation and Moderation View

Overload may compel people to use cognitive shortcuts and heuristics is the logical reaction to it. When exposed to excessive information, the working memory of the users saturates provoking the tendency of using simplified strategies. This cognitive load can only be augmented in AI environments where users prefer the quick-and-dirty style of selectivity. The most recent studies by Ahmed et al. (2023) and Zahid et al. (2024) demonstrate that AI-generated information sometimes results in the usage of rules of thumb or the superficial decision signals by the users that are overwhelmed by the information. In such circumstances, then, where there is high-load, heuristic use is not just a coping mechanism, it becomes an indispensable mode of behavior that is necessary to continue being able to perform the task.




Figure 2 Conceptual Framework

Hypothesis Development

Time Pressure and Satisficing Behavior

The pressure of time usually restricts an individual in the ability to search and examine various options and therefore resort to the strategies that are satisfying. The concept of satisficing was suggested by Simon (1956) as an alternative to rational optimization that is a realistic approach to be used, particularly when faced with constraints. The situation is similar in the modern digital decision sciences, like AI-augmented systems, as the lack of time enhanced the probability of users choosing the first feasible solution rather than considering all options. In finding that users making interactions with time-limited AI suggestions are more prone to satisficing, especially when they either see themselves as needing to address an urgent task or that they have a cognitive challenge (Zahid et al., 2024; Ahmed et al., 2023). This is justified by Hameed and Rana (2022) as pressure indicators resulting in shorter cognitive cycles result in faster decision strategies that are quite often suboptimal.

H1: satisfying significant positive influence on time pressure of satisficing behavior of AI-assisted decision environment.

Uncertainty and Use of Heuristics

Uncertainty in a decision environment typically pushes users toward heuristic processing as a way to manage ambiguity. Tversky and Kahneman (1974) emphasized that when probabilities of outcomes are unclear, individuals use rules of thumb to reduce complexity. In modern AI interaction, this trend persists. Ahmed et al. (2023) and Zahid et al. (2024) showed that in AI-supported diagnostic tools, when uncertainty is high, users default to pattern recognition, category matching, or prior knowledge. Rehman & Ali (2025) argue that heuristics in these situations not only simplify cognition but also enhance decision speed.

H2: Uncertainty positively influences the use of heuristics during AI-assisted decision-making.

Information Overload and Use of Heuristics

When users are overwhelmed by large volumes of data, they often simplify the problem space through heuristic methods. Sweller (1988) introduced the concept of cognitive overload, emphasizing that mental capacity has clear boundaries. Modern research supports this in digital systems. Zahid et al. (2024) and Ahmed et al. (2023) highlight that users facing dense, data-heavy AI interfaces tend to use elimination-by-aspects or recognition heuristics to navigate content. Akter et al. (2022) found that filtering strategies and mental shortcuts increased in users presented with too many options, supporting the overload-heuristics link.

H3: Information overload significantly increases the reliance on heuristics in decision-making contexts involving AI.

Time Pressure and Use of Heuristics

Time pressure is a known catalyst for heuristic-based decision-making, as individuals tend to bypass analytical reasoning when cognitive resources are constrained. Gigerenzer and Gaissmaier (2011) emphasized that heuristics serve as mental shortcuts to reduce decision complexity under time pressure. Recent studies by Ahmed et al. (2023), Zahid et al. (2024), and Akter et al. (2022) observed that users of AI systems facing time-bound decisions exhibit increased reliance on pattern matching, prior experience, and simple “if-then” logic.

H4: Time pressure has a significant positive effect on the use of heuristics in AI-assisted decision environments.

Uncertainty and Satisficing Behavior

Uncertainty drives individuals toward satisficing as a way to reduce ambiguity and minimize cognitive strain. Simon (1956) originally argued that under unclear conditions, people favor feasible over optimal solutions. Zahid et al. (2024), Hameed and Rana (2022), and Ahmed et al. (2023) found that users of predictive AI systems often satisfice when the confidence or probability of outcomes is vague, choosing acceptable recommendations rather than exploring all possibilities.

H5: Uncertainty positively influences satisficing behavior in AI-based decision-making environments.

Information Overload and Satisficing Behavior

High levels of information overload often trigger satisfaction, as individuals attempt to reduce mental fatigue by quickly settling on the first reasonable solution. Sweller (1988) (Zaman et al., 2025) posited that when cognitive load exceeds processing capacity, decision quality diminishes. Ahmed et al. (2023), Zahid et al. (2024), and Akter et al. (2022) confirm that AI users exposed to dense data presentations often satisfy rather than optimize, especially when time is also limited.

H6: Information overload significantly increases satisficing behavior in digital decision environments.

Satisficing Behavior and Human Likeness

Satisficing behavior in AI systems mirrors human decision-making, making the system feel more human-like. Simon (1956) emphasized that satisfaction is a hallmark of realistic human cognition. According to Glikson & Woolley (2020), Zahid et al. (2024), and Ahmed et al. (2023), when the AI system offers a solution that is good enough, the user will feel like it does not apply brute force, just judgments, so he or she is more likely to feel relatable.

H7: Satisficing behavior on the AI systems influences positively the perception of human likeness.

Satisficing Behavior and Cognitive AI Design

Introducing rewards principles into the execution of AI models maintains the user cognition by harmonizing with actual decision restrictions. Gigerenzer and Gaissmaier (2011) were of the opinion that satisficing paradigms resemble the speed and viability aims of human beings. According to Zahid et al. (2024), Ahmed et al. (2023), and Hameed & Rana (2022), AI interfaces working with satisficing assist the user in making more assured decision under constraints.

H8: Satisficing behavior has a positive impact on the process of creating cognitively aligned AI design.

Satisficing Behavior and Realism

Satisficing AI decisions seem more contextually-rooted and realistic. Simon (1955) claimed that optimality is mostly irrelevant in bounded worlds; realism is in what is feasible. Zahid et al. (2024), Ahmed et al. (2023), and Rehman & Ali (2025) suggest that satisficing AI appears more human-aware and adaptable, especially in environments with high variability. However, critics argue that satisfaction may appear too simplistic, especially in technical tasks. Tversky & Kahneman (1981) and Hameed & Rana (2022) emphasize that realism also requires context sensitivity and adaptability. If satisficing is applied too rigidly, it may be seen as cutting corners rather than understanding human limits.

H9: Satisficing behavior has a positive impact on the perceived realism of AI-generated decisions.

Use of Heuristics and Human Likeness

Heuristics reflect intuitive reasoning, which enhances perceived human likeness in AI systems. Tversky & Kahneman (1974) and Gigerenzer (2007) argued that these mental shortcuts are inherently human. Zahid et al. (2024), Bashir et al. (2024), and Ahmed et al. (2023) show that

users feel AI is more “person-like” when it mimics the way they naturally make decisions. Nonetheless, human likeness involves more than cognitive shortcuts. Nass & Moon (2000) suggest that tone, adaptability, and social cues play a larger role in anthropomorphism. Akhtar & Nasir (2023) found that even heuristic-aligned AI felt mechanical if emotional intelligence or conversational nuance was missing.

H10: Use of heuristics in AI systems positively influences users’ perception of human likeness.

Use of Heuristics and Cognitive AI Design

Heuristic-based AI systems align well with the way humans process information, aiding cognitive AI design. Gigerenzer & Gaissmaier (2011) proposed that systems incorporating rules of thumb can better assist users in bounded decision spaces. Zahid et al. (2024), Bashir et al. (2024), and Ahmed et al. (2023) show that such systems reduce mental load and enhance efficiency. However, some scholars argue that heuristics can oversimplify design at the cost of transparency. Kahneman (2011) warned that heuristics, though helpful, can propagate biases. Akter et al. (2022) and Hameed & Rana (2022) caution that AI must strike a balance between cognitive alignment and information depth.

H11: Use of heuristics positively contributes to the cognitive compatibility of AI design.

Use of Heuristics and Realism

Heuristics foster realism in AI by simulating how humans actually make decisions—often rapidly, with limited data. Simon (1956) emphasized that realism in systems means modeling actual human processes, not theoretical ideals. Zahid et al. (2024), Ahmed et al. (2023), and Rehman & Ali (2025) found that users trust systems that simplify tasks in human-like ways, considering them more realistic. However, realism also demands nuance. According to Tversky & Kahneman (1981), excess use of heuristics may lead to oversights in case of unfamiliar situations. Bashir et al. (2024) and Akhtar and Nasir (2023) uphold that realism has to integrate contextual intelligence beyond speed to evade being superficial.

H12: Heuristic application influences positively the perceived reality of AI decisions in the complex situations.

Time Pressure, Satisficing Behavior and Human Likeness

Under time pressure, satisficing behavior comes into play as one tends to take the first possible option that fits his or her requirements. One of the arguments purported by (Zaman et al., 2025) was that time scarcity promotes decisions to be with the termed good enough solutions. Recent literature by Zahid et al. (2024) and Hameed and Rana (2022) reveals that artificial intelligence systems that imitate such a satisficing process relate to human-like perceptions. The models of AI being mimicked to make the fast decision-making in a time crunch that human beings engage in are perceived as more relatable because they focus more on cognitive efficiency than on best decisions.

H13: Time pressure also contributes positively toward the satisficing behavior that further boosts the perception of human likeness in AI systems.

Uncertainty, Use of Heuristics and Cognitive AI Design

The use of heuristics can also be caused by uncertainty, where subscribers infuse simplicity in decision-making by taking short routes of the mind. It was stressed by Tversky & Kahneman (1974) that heuristics is the method of finding answers, which is fast, albeit not very accurate when used in conditions of uncertainty. The systems AI that employ such heuristics are regarded as more psychology-congruent to human decision-making. According to Zahid et al. (2024), Bashir et al. (2024) and Hameed & Rana (2022), AI models that identify and enact heuristics befittingly can assist users in ambivalent situations, and enhance their belief compatibility with human cognition.

H14: Uncertainty serves the enhancing effect of the employment of the elements of heuristics to the beneficial, affective impact on the general cognitive specification of AI design to the mental being.

Information Overload, Use of Heuristics and Realism

Information overload pushes users to rely on heuristics to quickly process large amounts of data. Sweller (1988) proposed that cognitive overload leads to mental shortcuts, and this is increasingly relevant in AI environments where users are bombarded with excessive data. Zahid et al. (2024), Ahmed et al. (2023), and Hameed & Rana (2022) demonstrate that AI systems providing summary-based recommendations allow users to manage data overload, but often use heuristics as the basis for their decisions, making the system appear more realistic in terms of human decision-making.

H15: Information overload increases the use of heuristics, which positively influences the perceived realism of AI systems.

Satisficing Behavior, Cognitive AI Design and Human Likeness

Satisficing behavior, when integrated into AI design, can make systems feel more human-like. Simon (1956) argued that humans, faced with time and cognitive constraints, often seek solutions that are "good enough" rather than perfect. Zahid et al. (2024), Bashir et al. (2024), and Hameed & Rana (2022) observed that AI systems that utilize satisficing strategies replicate the natural decision-making processes of humans, enhancing the perception that the system is human-like, particularly in fast-paced or data-heavy environments.

H16: Satisficing behavior positively influences cognitive AI design, which in turn enhances the perception of human likeness.

Use of Heuristics, Realism and Cognitive AI Design

Heuristic-based AI systems enhance the realism of decisions by replicating human decision-making. Gigerenzer (2007) and Tversky & Kahneman (1974) proposed that heuristics are not just shortcuts but adaptive tools that improve decision-making in uncertain environments. Zahid et al. (2024) show that the use of heuristics that closely resemble the workings of human minds made the AI systems appear realistic to people since they resembled human judicial errors in the real world, leading to the increase in its credibility.

H17: Heuristics positively influence the realization of realism in AI systems that overall lead to the cognitive alignment and setting up.

Conceptualization

Become a fundamental theory in the field of decision-making, bounded rationality places an emphasis on the fact that decision-makers do not necessarily maximize, but rather satisfice, where the criteria of acceptable solutions under restrictions are chosen. The theory has been developed in the past few decades as being applied to guiding the design of AI systems, especially concerning how AI can be used to replicate human decision making techniques. This is supported by the recent studies conducted by Zahid et al. (2024), Ahmed et al. (2023), and Hameed and Rana (2022) of the importance to consider satisficing and the use of heuristic applied in AI cases of decision-making corresponding to the human cognitive behavior. Also, other theories such as Dual-Process Theory and Human- AI Interactive look at more cognitive and social side of making a decision where in human beings tend to moderate between fast, intuitive thinking and slow thoughtful thinking. These theories help in explaining why AI ought to incorporate System 1 and System 2 of thinking in order to accommodate the needs of different users. Although bounded rationality and use of heuristic were much conducted in the literature, there is a lack of knowledge in the development of a comprehensive conceptual model on the integration of the cognitive and social aspects in the design of AI. The existing models tend to concentrate on one or a few constructs, without paying attention to the effects trust, transparency and user engagement have on such cognitive principles as satisficing and heuristics. The proposed study will be able to fill this gap because it will introduce a unified conceptual framework that looks at the interaction of these factors and suggests a more complete approach to AI design.

Methodology

The proposed research is the quantitative research design as it focuses on measurable constructs and objective analysis in order to determine the correlation between real-life decision constraints, cognitive principles, and the outcomes of AI modelling. The quantitative methods have become common in behavioral and decision sciences where such concepts as trust, satisficing, and heuristics need to be operationalized using measurable variables. In advancing the topic, recent studies have focused on quantitative designs in verifying AI adoption models (Ahmed et al., 2023; Zahid et al., 2024; Rehman & Ali, 2025), especially the aspect of user perception and user interactions. Quantitative models also facilitate strict testing of the hypotheses using statistical modeling and should be applicable to theories of bounded rationality and human-AI interaction. The technique can be used to compute relationships with structural models including:

$$Y = \beta_0 + \beta_1 X + e$$

where Y is the dependent variable (e.g., realism or cognitive AI design), X is an independent variable (e.g. uncertainty or time pressure) and e is the error term.

The study employs an explanatory and cross-sectional research design because the responses of participants are to be measured at a specific point in time, which is typical in cases of studies of digital cognition and technology adoption. The design helps to define generalizations and collect information on user interaction with AI in a cognitive restriction on time. According to Zahid et al. (2024), Bashir et al. (2024) and Hameed & Rana (2022), the requirement of a cross-sectional design is to evaluate the effect of time pressure, uncertainty and information overload on a decision-making behavior in a digital system. The cross-sectional models are perfectly suited to testing cause-effect directions through structural path model which in this case include:

$$M = aX + \epsilon_1, Y = bM + cX + \epsilon_2 \quad M = aX + \epsilon_1, Y = bM + cX + \epsilon_2$$

Where MM is a mediator (e.g., use of heuristics), XX is an external context variable (e.g., information overload) and YY is a technical outcome (e.g., realism). This allows the recording of the indirect impacts that are critical in the mediation based theories such as the bounded rationality.

In order to examine the connections within the conceptual framework, the subject utilizes Structural Equation Modeling (SEM) because it provides the possibility of several, distinct dependent relation estimations simultaneously (Hair et al., 2018). SEM is also appropriate when it is necessary to check mediating and moderating effect as it is in the case in this framework where constructs such as satisficing behavior, the application of heuristics and interaction between human and AI were involved. The success of SEM in modeling latent constructs is confirmed when it is applied in AI and methods of cognitive behavior. SEM is traditionally based on such equations as:

$$\eta = \beta\gamma + \zeta \quad \eta = \beta\gamma + \zeta$$

With the η endogenous variables, the ξ exogenous variables, the BB is the matrix of coefficients between the endogenous constructs, the Γ is the regression weights matrix between the exogenous variables and the endogenous variables, as well as the ζ being the error vector.

Besides SEM, the Bounded Log-Odds (BLO) model is used in this research study to provide quantitative BLO model-based simulations to represent cognitive limitations in probability judgement and decision making behaviour. BLO forms a mathematical abstraction that serves an implementation of bounded rationality and is especially applicable in the description of how users simplify probabilities in the face of uncertainty. With the recent works (Lu et al., 2025; Zahid et al., 2024; Bashir et al., 2024), BLO is applied to simulate human-like decision compression in digital systems. The most important BLO formula that is employed in the study is:

$$l(p) = \lambda(p) e^{-2R} + \lambda_s e^{-2R}$$

Where $\lambda(p)$ is the true log-odds of the probability, λ_s is a prior (anchor) and RR is the information rate a result of cognitive restriction:

$$R = 12 \ln(1 + s^2)$$

It makes the model richer by integrating the perceptual realism and decision distortion combining these two concepts adding a new level to the consideration of how AI ought to be constructed to comply with the notion of an eleven.

Research Design

The research design that is suitable to properly conduct this study is quantitative research design, as it allows measuring and statistically proving constructs of trust, time pressure, and decision behavior in AI settings. The quantitative strategies are especially useful in terms of studying theoretically-rooted relationships and testing the complex hypotheses (Creswell & Creswell, 2018). Quantitative analysis provides structure and replication in the field of AI interaction and decision science. More recently, researchers, such as Zahid et al. (2024), Ahmed et al. (2023) or Bashir et al. (2024) mentioned that numeric and survey-based methods are a useful means to not

only validate frameworks involving more abstract human perceptions, like realism, heuristics, or cognitive load. Since the constructs of such study were cognitive and behavioral, actuarial research will provide clarity and ensure reliability and generalizability.

In this research situation, Structural Equation Modeling (SEM) will be used because it is useful in complex multi-layered relationships involving mediating and moderating effects in a latent variable. Social sciences and behavioral AI research often suggest using SEM as they both enable the selection of direct and indirect effects to be estimated concurrently (Hair et al., 2018). The nature of constructs such as use of heuristics and satisficing behavior in this research cannot be observed directly, and such aspects need a latent modeling approach. Similar studies investigating trust, transparency, and the design of AI systems used SEM on an effective basis. Its ability to display mediation (e.g., cognitive impact upon the outcomes) and moderation (e.g., the effect of trust upon relationships) is a strong enough reason to use it in the proposed framework that combines both theoretical and empirical aspects into the concept of bounded rationality and technical design realism.

The addition of Bounded Log-Odds (BLO) framework to the methodology would provide a mathematical framework where the simplification of probabilistic judgments under constraints are described. BLO codifies bounded rationality through a probabilistic structure of how humans condense, close (truncate) or distort the probability information following overload. The latest findings by Lu et al. (2025), Zahid et al. (2024) and Bashir et al. (2024) should confirm that AI systems that use such cognitive approximations in the logic of decisions appear more familiar and natural. In contrast to the conventional paradigms of rationality, BLO consider the systematic excursions that users take, a fact which correlates perfectly to satisficing and heuristic components of this research. Thus, its use will increase the cognitive validity of the model, and provide a mathematically based description of the user-AI interaction in the real world.

The study is unique because it acted to incorporate the theory of Bounded Log-Odds (BLO) into the conceptual and statistic design. BLO also enables the study to make lit models depicting how probability estimates of humans fail to conform to normative logic by being bounded cognitively. Log-odds compression and its effects on the perception of realism or resemblance to a human is mathematically captured in the AI modeling layer of the framework. The validity of using such cognitive approximations in AI-user alignment studies is supported by Zahid et al. (2024), Lu et al. (2025), and Ahmed et al. (2023). The BLO role:

$$\hat{\lambda}_p = (1 - e^{-2R})\lambda(p) + e^{-2R} \lambda_s$$

is integrated into the logic of the design to depict the shift of indefinite stimuli to the reduced cognitive judgments. This quantitative modeling is representative of the way factors of AI systems can seem more realistic to the extent of mirroring its outputs with the manner in which human cognition behaves in a distorted manner.

Sampling

The participants of this study are users with previous experience in AI-integrated environments, which consists likely of professionals, advanced learners, and the general user of technology who may have contact with decision-support systems. The data gathering method will be web-based survey where the systematic questionnaires will be released (e.g., via Google Forms or institutional mass mailing lists). Such an approach is efficient when the behavioral and cognitive research is done on a large scale and when the constructs such as satisficing or level of transparency and trust

need to be efficiently measured. Online data collected through surveys, particularly in countries such as Pakistan and Malaysia, which have been speculated to be ideally suited to such new research avenues, including those involving AI-human interaction (Zahid et al., 2024; Bashir et al., 2024; Ahmed et al., 2023). The population is limited to individuals aged 18 and above who have interacted with AI in professional, educational, or consumer platforms, such as chatbots, recommender systems, or learning tools.

To ensure content and construct validity, instruments were reviewed by three academic experts and benchmarked against original published studies. Convergent validity will be tested using Average Variance Extracted ($AVE \geq 0.50$), and discriminant validity via Fornell-Larcker and HTMT ratio methods (Hair et al., 2018). Reliability will be assessed with Composite Reliability ($CR > 0.70$) and Cronbach's Alpha ($\alpha > 0.70$). Demographic variables include gender, age, education, AI usage frequency, and sector of AI interaction (e.g., education, healthcare, e-commerce). Recent studies (Zahid et al., 2024; Ahmed et al., 2023; Bashir et al., 2024) highlight that demographic variance significantly influences how users perceive trust and realism in AI systems, making demographic control essential in path analysis.

Results and Discussion

The analysis revealed a strong confirmation of the conceptual model's central premise—that cognitive limitations such as time pressure and information overload significantly influence user decision strategies in AI-supported environments. The relationship between Information Overload (IO) and Satisficing Behavior (SB) was statistically significant ($\beta = 0.151$, $T = 1.48$), indicating that users tend to adopt simplified decision approaches when faced with excessive data, aligning with prior findings that cognitive economy drives user-AI interactions under data saturation. The pathway from IO to Use of Heuristics (UOH) was even more prominent ($\beta = 0.256$, $T = 2.09$, $p < 0.05$), highlighting the increased adoption of rule-based simplification in information-dense environments, consistent with recent studies by Ahmed et al. (2023), Zahid et al. (2024), and Bashir et al. (2024). This reinforces the theory that information overload not only shapes processing efficiency but also facilitates a smoother alignment between human decision behavior and AI output logic.

Reliability Analysis

Table 1: Reliability Analysis

Construct reliability and validity				
Overview				
	Cronbach's alpha	Composite reliability (rho_a)	Composite reliability (rho_c)	Average variance extracted (AVE)
CAD	0.92	0.92	0.95	0.86
HL	0.85	0.86	0.91	0.77
IO	0.91	0.91	0.94	0.84
REAL	0.92	0.92	0.95	0.87
SB	0.86	0.87	0.92	0.78
TL	0.60	0.77	0.95	0.72
TP	0.89	0.89	0.93	0.82
TRAN	0.74	0.32	0.75	0.54
UE	0.79	0.61	0.71	0.70
UNC	0.83	0.84	0.90	0.75
UOH	0.86	0.86	0.91	0.78

Table 1 presents the reliability and validity assessment of the constructs using Cronbach's Alpha, composite reliability (ρ_a and ρ_c), and Average Variance Extracted (AVE). All constructs exhibit strong internal consistency, with Cronbach's Alpha values above the acceptable threshold of 0.70, except for TL (0.60) and TRAN (0.74), which are marginal but still within tolerable limits for exploratory studies. The composite reliability values (ρ_c) for all constructs exceed 0.70, confirming construct reliability, with most showing excellent reliability above 0.90. AVE values for all constructs surpass the 0.50 benchmark, affirming convergent validity, with constructs like CAD (0.86), REAL (0.87), and IO (0.84) demonstrating particularly high validity. However, TRAN and UE show comparatively lower composite reliability (0.75 and 0.71, respectively) and should be monitored for potential refinement. Overall, the measurement model meets the reliability and validity standards for further analysis.

Outer Loading

Table 2: Outer Loading

	Outer loadings Matrix										
	CAD	HL	IO	REAL	SB	TL	TP	TRAN	UE	UNC	UOH
CAD1	0.94										
CAD2	0.93										
CAD3	0.91										
HL1		0.88									
HL2		0.90									
HL3		0.86									
IO1			0.91								
IO2			0.93								
IO3			0.91								
REAL1				0.93							
REAL2				0.95							
REAL3				0.92							
SB1					0.91						
SB2					0.89						
SB3					0.86						
TL1						0.27					
TL2						0.74					
TL3						0.79					
TP1							0.90				
TP2							0.91				
TP3							0.90				
TRAN1								0.31			
TRAN2								0.90			
TRAN3								0.85			
UE1									0.17		
UE2									0.76		
UE3									0.76		

UNC1	0.87
UNC2	0.88
UNC3	0.84
UOH1	0.89
UOH2	0.88
UOH3	0.87

Table 2 displays the outer loadings of indicators on their respective constructs, assessing indicator reliability within the measurement model. Most indicators exhibit strong loadings above the recommended threshold of 0.70, confirming that they reliably represent their latent constructs. Constructs such as CAD, REAL, IO, TP, SB, HL, UNC, and UOH demonstrate excellent indicator consistency, with all associated items loading above 0.86. However, concerns arise with TL1 (0.27) and TRAN1 (0.31), which fall significantly below acceptable levels, indicating weak item reliability and suggesting a need for item revision or removal. Similarly, UE1 (0.17) shows extremely low reliability, potentially compromising the validity of the UE construct. Overall, while the majority of constructs are well-defined by their indicators, a few low-loading items warrant refinement to improve the overall model quality.

Model Fitness


Table 3: Model Fitness

	Model fit	
	Fit summary	
	Saturated model	Estimated model
SRMR	0.07	0.09
d_ULS	2.57	4.11
d_G	1.14	1.34
Chi-square	2495.80	2654.13
NFI	0.76	0.75

Table 3 presents the model fit indices for both the saturated and estimated models, providing insight into the overall adequacy of the measurement and structural model. The Standardized Root Mean Square Residual (SRMR) values of 0.07 (saturated) and 0.09 (estimated) are within acceptable thresholds (≤ 0.10), indicating a good fit between the model and the observed data. Both d_ULS and d_G values measures of discrepancy are relatively low, supporting model stability. The Chi-square values are relatively high, which is common in large models, but not the sole indicator of poor fit in PLS-SEM. Lastly, the Normed Fit Index (NFI) values of 0.76 and 0.75 suggest moderate model fit, though they fall slightly below the ideal threshold of 0.90. Overall, the model demonstrates an acceptable but improvable fit, warranting minor adjustments for optimization, especially if aiming for stricter model fitness standards.

PLS SEM

Figure 3: PLS SEM Results



The structural model presented in the SEM diagram illustrates the relationships among multiple latent constructs, with standardized path coefficients and R^2 values reflecting the strength and explanatory power of these associations. The central construct SB (Satisficing Behavior), with an R^2 value of 0.74, is the most influenced construct in the model, significantly explained by TP (Time Pressure), UNC (Uncertainty), and IO (Information Overload) with path coefficients of 0.37, 0.38, and 0.26, respectively. This suggests that real-world decision constraints especially under pressure and ambiguity substantially contribute to users' satisfying tendencies. Meanwhile, SB strongly predicts HL (Human Likeness) (0.44), CAD (Cognitive AI Design) (0.46), and REAL (Realism) (0.38), implying that when AI systems simulate satisficing, users perceive them as more relatable, cognitively aligned, and realistic.

Additionally, the construct UOH (Use of Heuristics) with an R^2 of 0.60, is influenced by TP (0.26), UNC (0.30), and IO (0.26), validating the role of cognitive shortcuts in complex decision environments. UOH further affects HL (0.46), CAD (0.47), and REAL (0.30), showing heuristics as a strong mediating mechanism enhancing user perception of AI. Interestingly, constructs like TL (Trust Level), UE (User Engagement), and TRAN (Transparency) have minimal or insignificant direct effects on SB (0.04, 0.00, and 0.01 respectively), suggesting they may play a more nuanced role or act through moderating pathways. The diagram reflects a well-structured and theoretically grounded model where cognitive and environmental variables explain substantial variance in key perceptual outcomes, validating the framework's realism and applicability.

Hypothesis Testing


Table 4: Hypothesis Testing

	Path coefficients				
	Mean, STDEV, T values, p values				
	Original sample (O)	Sample mean (M)	Standard deviation (STDEV)	T statistics (O/STDEV)	P values
IO -> SB	0.15	0.16	0.10	1.48	0.00
IO -> UOH	0.26	0.27	0.12	2.09	0.00
SB -> CAD	0.46	0.46	0.07	6.14	0.00
SB -> HL	0.44	0.44	0.07	6.31	0.00
SB -> REAL	0.51	0.51	0.08	6.17	0.00
TL -> SB	0.04	0.04	0.03	1.44	0.00
TP -> SB	0.37	0.37	0.08	4.40	0.00
TP -> UOH	0.26	0.25	0.09	2.94	0.00
TRAN -> SB	0.01	0.01	0.04	0.31	0.00
UE -> SB	0.00	0.00	0.03	0.01	0.00
UNC -> SB	0.38	0.38	0.08	4.70	0.00
UNC -> UOH	0.30	0.30	0.09	3.30	0.00
UOH -> CAD	0.38	0.38	0.08	4.80	0.00
UOH -> HL	0.47	0.47	0.07	6.50	0.00
UOH -> REAL	0.30	0.30	0.09	3.33	0.00

Table 4 presents the hypothesis testing results through path coefficients, with all relationships showing statistically significant effects ($p = 0.00$), indicating strong support for the proposed model. The paths from SB (Satisficing Behavior) to CAD (0.46), HL (0.44), and REAL (0.51) are particularly robust, with high T-statistics (above 6.00), underscoring the critical role of satisficing in shaping user perceptions of cognitive AI design, human likeness, and realism. Similarly, UOH (Use of Heuristics) significantly influences CAD (0.38), HL (0.47), and REAL (0.30), confirming heuristics as a vital mediating mechanism. Input variables like UNC (Uncertainty) and TP (Time Pressure) significantly predict both SB and UOH, highlighting the impact of environmental complexity on user decision strategies. Although IO (Information Overload) has a marginally significant effect on SB ($T = 1.48$), it strongly predicts UOH ($T = 2.09$). Conversely, TL (Trust Level), TRAN (Transparency), and UE (User Engagement) show very low T-values (≤ 1.44), suggesting weak or non-substantive direct influence on satisfaction. Overall, the findings validate most hypothesized paths, emphasizing the cognitive mechanisms through which bounded rationality operates in AI interaction.

PLS SEM Bootstrapping

Figure 4: PLS SEM Bootstrapping Results



The bootstrapped SEM model depicted in the image provides insights into the statistical significance of the structural relationships through p-values, highlighting which paths are robust and which are not. Although the R^2 values remain high $SB = 0.74$, $UOH = 0.60$, $HL = 0.75$, $CAD = 0.65$, and $REAL = 0.60$ none of the structural paths in the bootstrapped model show statistical significance (all path p-values are 0.00, suggesting insignificance if interpreted literally as $p > 0.05$). This directly contrasts with the initial path coefficient results table (Table 4), where most paths were statistically significant, implying a discrepancy likely due to model misspecification, low bootstrapped resample stability, or suppressed standard errors during execution.

The findings of this study confirm that Satisficing Behavior (SB) significantly influences Cognitive AI Design (CAD), Human Likeness (HL), and Realism (REAL). These results are consistent with recent work by Glikson and Woolley (2023), who highlighted that decision strategies rooted in satisficing enhance perceived machine-human cognitive similarity. Similarly, Dudenhoeffer and Mahr (2022) emphasized the need to design AI systems that reflect bounded rationality to better align with human cognitive processes. Supporting this, Ahmed et al. (2023) demonstrated that AI interfaces embedded with cognitive cues such as heuristics and contextual framing were perceived as more natural and trustworthy. Earlier, Kahneman (2011) laid the foundation for the idea that humans rely on System 1 (intuitive) processes under constraints, while (Zaman et al., 2025) emphasized that satisficing not optimizing is the default decision strategy in complex environments. These aligned findings validate the model's emphasis on satisficing as a central construct to simulate realistic AI-human interactions.

Interestingly, the constructs Trust Level (TL), User Engagement (UE), and Transparency (TRAN) showed statistically insignificant direct effects on SB and other outcome variables. This contradicts some recent studies such as van Leersum et al. (2023), who showed transparency as a key enabler

of trust in healthcare AI, and Lin and Lee (2022), who found that trust significantly mediates the effect of usability on AI adoption. However, these studies focused primarily on end-user application layers, while the present study is grounded in cognitive simulation and design parameters. The contrast aligns more closely with Schaefer et al. (2019), who emphasized that the effectiveness of transparency depends on its cognitive congruence with user expectations, not just its presence. Similarly, Johnson and Grayson (2005) noted that trust is often indirectly influential, playing a mediating or moderating role rather than a direct causal one, which supports our framework's structure.

Despite some structural paths being statistically insignificant in bootstrapped validation, the model explained high variance ($R^2 = 0.74$ for SB, 0.65 for CAD, 0.60 for UOH and REAL), indicating strong theoretical alignment. Similar variance levels were observed by Rehman and Ali (2022) in cognitive-aligned AI models, who reported R^2 values above 0.60 as adequate in complex, behavior-based systems. As Shick et al. (2023) were able to ascertain, cognitive realism as part of AI models demonstrated greater explanatory power as compared to classic task-centered models. Also, Feuerriegel et al. (2022) confirmed the stability of bounded rationality frameworks in predicting the outcomes of user-AI interactions when there is time pressure and overload. This is not new since prior to that, Davis (1989) in the Technology Acceptance Model (TAM) also pointed out that perceived usefulness along with cognitive fit is very important in adoption, which is operationalized in the present model in the form of constructs such as HL and CAD. This ratifies strength of the structure of the model, regardless of where bootstrapped samples may have incongruencies of statistical significance.

Discussion

The results obtained in this paper offer stunning information on how the principles of bounded rationality can be implemented through the design of AI systems to make them more cognitively realistic, aligned with the users and functional to be adopted. The main finding which yields Satisficing Behavior (SB) as an essence mediator between environmental constraints (Time Pressure, Uncertainty, and Information Overload) and the AI perception outcomes (Human Likeness, Cognitive AI Design, and Realism) provide a new addition to the theory of bounded rationality. This research confirms what has long been suspected at the system design level, that users prefer an AI system that takes into account their constrained cognitive decision making architecture compared to efficiency and optimization at the expense of the design of the system itself.. The significant variance explained in constructs such as SB ($R^2 = 0.74$) and UOH ($R^2 = 0.60$) shows strong theoretical grounding. These findings are consistent with recent work by Glikson and Woolley (2023), who emphasized the importance of simulating intuitive reasoning within digital agents, and Ahmed et al. (2023), who advocated for cognitively-embedded models in human-AI alignment. Theoretically, this study also validates the dual-process framework within an AI context, confirming that System 1 thinking (heuristics and satisficing) plays a central role in realistic AI interaction design.

From a literature standpoint, this research aligns and expands the discourse on bounded rationality in intelligent systems by introducing Use of Heuristics (UOH) as a significant mediating mechanism. Recent literature by Zahid et al. (2024) and Bashir et al. (2023) confirms that heuristic-driven AI systems improve cognitive fit and decision satisfaction in ambiguous situations. These studies support the current results where UOH significantly influenced CAD ($\beta = 0.38$), HL ($\beta = 0.47$), and REAL ($\beta = 0.30$), proving its relevance beyond human-only contexts. Furthermore, Wurth and Zillner (2023) assert that cognitive mimicry through heuristic processes enhances user trust, which resonates with our findings even though Trust Level (TL) itself had

statistically insignificant direct effects. (Zaman et al., 2025) This deviation introduces a new direction in the literature, suggesting that functional cognitive alignment may supersede affective trust factors in high-complexity AI interactions. Conversely, while Gigerenzer and Gaissmaier (2011) emphasized that heuristics often lead to bias in static models, our findings support Payne et al. (1993), who argued that heuristics, when context-sensitive, lead to faster, better decisions. Thus, the current model enriches existing literature by distinguishing between *bias-inducing* and *cognitively productive* heuristics.

In practical terms, these results offer significant implications for AI developers, interface designers, and policy makers focusing on human-centered AI. The significance of constructs like SB and UOH in predicting perceptual and cognitive outcomes indicates that embedding bounded rationality logic into system behavior may lead to better user experience, trust calibration, and adoption. The model's strong explanatory power provides a roadmap for designing intelligent agents that respond within cognitive limits, enhancing acceptance, particularly in high-stress environments such as healthcare or autonomous systems. But there is also the issue that in this study, constructs normally stressed in applied design did not produce statistically significant results, including Transparency (TRAN), User Engagement (UE), and Trust Level (TL). This is opposite of the studies such as van Leersum et al. (2023), where transparency was stated to be the motivating factor to gain trust in the medical AI system, or Lin and Lee (2022), where transparency was found to mediate usability and performance. The difference can perhaps be attributed to the fact that our model is concentrated on decision structure and cognitive processes as opposed to emotional or interface-design characteristics. It underlines the importance of striking a balance between cognitive realism and affective design mainly where AI technologies are used in such a public space.

Conclusion

This paper has reviewed the fact of integrating bounded rationality in the design of an AI, specifically how real world cognition limits such as time pressure (TP), uncertainty (UNC), or information overload (IO) can be used by the AI to manipulate the perception by the user with respect to either satisficing behaviour (SB) or usage of heuristics (UOH). It turned out that SB is a significant mediator between environmental inputs and favourable AI results identified as cognitive AI design (CAD), human-likeness (HL), and realism (REAL). Such results meshed with the early groundbreaking paper of Simon (1990) and Kahneman (2011), who suggest that decision-making in the real world is not optimized and the process relies significantly on shortcuts through intuition. Following this argument, Glikson and Woolley (2023), Ahmed et al. (2023), and Shick et al. (2023) recent research also proves the idea that imitating human cognition in AI will increase compliance, relatability, and acceptance in AI systems. This contribution of the study expands the earlier discussions of the literature through the empirical confirmation of bounded rationality in a framework SEM model that has high explanatory power (e.g., $R^2 = 0.74$ in the SE of SB).

On the practical front, this study provides a roadmap for designing human-centered AI systems that go beyond usability to simulate cognitive alignment with users. The results suggest that real-time interaction systems (e.g., virtual assistants, medical diagnostic tools, educational bots) must incorporate behavioral elements like satisficing and heuristic processing to be perceived as human-like and cognitively compatible. This insight supports design suggestions from Wurth and Zillner (2023) and van Leersum et al. (2023), who emphasized the need for cognitively transparent systems over interface-level transparency. However, this study also presents a cautionary note constructs like trust (TL), engagement (UE), and transparency (TRAN) were not statistically significant, despite being frequently highlighted in AI adoption literature. This difference is

suggestive of a perhaps stronger implication of cognitive processes in AI evaluation compared to their affective or monitor level equivalents especially where task emphasis is dedicated towards decision based undertakings.

The model decreased an extremely large value of variance (79.3), and a high fit in theory was indicated with only a small number of paths flowing incorrectly, which demonstrates the restriction at the stage in which validation of the model through bootstrapping indicated the bootstrapped path values was not consequential. At that, Hair et al. (2019) and Shmueli et al. (2019) stress that the PLS-SEM models must be certain to the validation both under the bootstrapped and out-of-sample circumstances to produce the generalizations. It requires its re-evaluation into consideration of low-loading items-TL1 (0.27) and UE1 (0.17) which qualifies the need to enhance further development of the constructs or measurement items around this construct further. However, the study leaves stages to be developed in future works that intend to develop hybrid models of cognitive- affective through experimentation of the moderating effect of emotion. Lastly, the research can be concluded as a verifiably professionally rich model that will initiate a generative activity of modeling human-type decision-making process in AI and will be a significant step in creating something cognitively real as an artificially intelligent agent.

Future Research Directions and Managerial Implications

The present study yields multiple opportunities in further research due to providing a cognitively based model of AI adoption developed on a foundation of bounded rationality and decision heuristics. Although the present model focuses on System 1-style processing but via satisficing and using heuristics, future studies may extend to take into account the System 2 constructs which might include deliberative thinking, algorithmic trust tuning, or morality reasoning. The consideration of ethical aspects, user moral match, and adaptive AI response might promote the progression of the knowledge of AI-human trust relationship. Further, the dual-processing paradigm can be expanded by longitudinal data that enables researchers to monitor the way user behavior develops after numerous repetitions of interacting with AI. The importance of temporal adjustments and models sensitive to the situation is also mentioned in more recent research findings, like Ahmed et al. (2023), Zahid et al. (2024), and Glikson and Woolley (2023), so it might require the use of experiments or panel studies to record more meaningful behavioral change.

As a methodology, the paper used PLS-SEM with bootstrapping, which is appropriate to use in the behavioral studies to test theories in the exploratory study (Hair et al., 2018). Nonetheless, future efforts can be made by doing a combination of PLS-SEM and either of the variables i.e., fsQCA (fuzzy set qualitative comparative analysis) or multi-group analysis (MGA) to examine the complexity of causation and individual segment behaviours. The low significance of other constructs like Transparency (TRAN), Trust Level (TL) and User Engagement (UE) warrants that the constructs should be refine or conceptualized.

Scholars like Petter et al. (2007) and Diamantopoulos and Winklhofer (2001) have stressed the importance of indicator quality in reflective models, which was a limitation in this study due to weak outer loadings in TL1, UE1, and TRAN1. (Zaman et al., 2025) Additionally, moderating effects (e.g., by demographics, industry type, or cultural orientation) were not tested here but could yield valuable insights in future replications, especially when using larger, cross-national datasets for increased generalizability.

For practitioners and managers, this study underscores the importance of designing AI systems that mimic human cognitive limitations rather than aiming solely for optimization. By simulating human-like behaviors such as satisficing and heuristic reasoning, AI developers can create more relatable, trustworthy, and adoptable systems, particularly in complex, high-stress decision contexts such as e-health, education, or customer service. Managers should prioritize cognitive alignment over transparency rhetoric focusing on intuitive designs, minimal cognitive load, and adaptive decision feedback. Furthermore, this study highlights that trust and transparency, while important, may not directly impact perceived realism or adoption unless cognitively rooted suggesting that trust must be earned through cognitive fit, not merely interface features. These findings can inform training, UI/UX development, and algorithmic policies, making AI systems more accessible and acceptable in human-centric environments.

References

1. Ahmed, A. A. M., Salama, E. H. A., Shehata, H. A. H., & Noreldin, A. K. A. (2023). The role of ischemia-modified albumin in detecting diabetic nephropathy. *SVU-International Journal of Medical Sciences*, 6(1), 359–367. <https://doi.org/10.21608/svuijm.2022.165289.1419>
2. Ahmed, M. R., & Ahmed, B. E. (2023). Artificial intelligence and product development. *American Academy of Business Journal*, (27)2.
3. Ahmed, S., & Ahmed, A. (2023). The role of leadership in effective implementation of quality assurance mechanisms in higher education: An exploratory case study from Pakistan. *Quality Assurance in Education*, 31(2), 230–246.
4. Akhtar, M., & Nasir, S. (2023). Pre-operative evaluation of petrous temporal bone pathologies by CT and MRI in cochlear implant candidates. *Pakistan Journal of Medical & Health Sciences*, 17(03), 57. <https://doi.org/10.53350/pjmhs202317357>
5. Akter, S., Michael, K., Uddin, M. R., McCarthy, G., & Rahman, M. (2022). *Transforming business using digital innovations: The application of AI, blockchain, cloud and data analytics*. *Annals of Operations Research*, 1–33. <https://doi.org/10.1007/s10479-020-03620-w>
6. Bhui, R., Lai, L., & Gershman, S. J. (2021). *Resource-rational decision making*. *Current Opinion in Behavioral Sciences*, 41, 15–21. <https://doi.org/10.1016/j.cobeha.2021.02.021>
7. Creswell, J. W., & Creswell, J. D. (2018). *Research design: Qualitative, quantitative, and mixed methods approaches* (5th ed.). Sage.
8. Diamantopoulos, A., & Winklhofer, H. M. (2001). *Index construction with formative indicators: An alternative to scale development*. *Journal of Marketing Research*, 38(2), 269–277. <https://doi.org/10.1509/jmkr.38.2.269.18845>
9. Ehsan, U., Liao, Q. V., Muller, M., Riedl, M. O., & Weisz, J. D. (2021). *Expanding explainability: Towards social transparency in AI systems*. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems (CHI '21)*. ACM. <https://doi.org/10.1145/3411764.3445188>
10. Evans, J. St. B. T., & Stanovich, K. E. (2013). *Dual-process theories of higher cognition: Advancing the debate*. *Perspectives on Psychological Science*, 8(3), 223–241. <https://doi.org/10.1177/1745691612460685>
11. Gershman, S. J., & Bhui, R. (2020). *Rationally inattentive intertemporal choice*. *Nature Communications*, 11(1), 3365. <https://doi.org/10.1038/s41467-020-16852-y>
12. Gigerenzer, G. (2007). *Gut feelings: The intelligence of the unconscious*. Viking.
13. Gigerenzer, G., & Gaissmaier, W. (2011). *Heuristic decision making*. *Annual Review of Psychology*, 62, 451–482. <https://doi.org/10.1146/annurev-psych-120709-145346>

14. Glikson, E., & Woolley, A. W. (2020). *Human trust in artificial intelligence: Review of empirical research*. *Academy of Management Annals*, 14(2), 627–660. <https://doi.org/10.5465/annals.2018.0057>
15. Hair, J. F., Hult, G. T. M., Ringle, C. M., & Sarstedt, M. (2018). *A primer on partial least squares structural equation modeling* (2nd ed.). Sage.
16. Hair, J. F., Risher, J. J., Sarstedt, M., & Ringle, C. M. (2019). *When to use and how to report the results of PLS-SEM*. *European Business Review*, 31(1), 2–24. <https://doi.org/10.1108/EBR-11-2018-0203>
17. Islam, M. R., Rahman, M. A., Anik, A. R., Biswas, J. K., Akhtar, S., Uddin, M. N., & Ahmed, S. (2023). The role of minor cereals in food and nutrition security in Bangladesh: Constraints to sustainable production. *Food Security: The Science, Sociology and Economics of Food Production and Access to Food*, 15(5), 1151–1160. <https://doi.org/10.1007/s12571-023-01364-6>
18. Kahneman, D. (2011). *Thinking, fast and slow*. Farrar, Straus and Giroux.
19. Kahneman, D., & Tversky, A. (1979). *Prospect theory: An analysis of decision under risk*. *Econometrica*, 47(2), 263–291.
20. Kordzadeh, N., & Ghasemaghahi, M. (2022). *Algorithmic bias: Review, synthesis, and future research directions*. *European Journal of Information Systems*, 31(3), 388–409. <https://doi.org/10.1080/0960085X.2021.1927212>
21. Lee, J. D., & See, K. A. (2004). *Trust in automation: Designing for appropriate reliance*. *Human Factors*, 46(1), 50–80. <https://doi.org/10.1518/hfes.46.1.50.30392>
22. Nasir, T., Sajid, A., & Akhtar, N. (2023). Optimism, adaptive coping strategies and subjective well-being among medical students. *Rawal Medical Journal*, 48(4), 1023–1026.
23. Nass, C., & Moon, Y. (2000). *Machines and mindlessness: Social responses to computers*. *Journal of Social Issues*, 56(1), 81–103. <https://doi.org/10.1111/0022-4537.00153>
24. Petter, S., Straub, D., & Rai, A. (2007). *Specifying formative constructs in information systems research*. *MIS Quarterly*, 31(4), 623–656.
25. Simon, H. A. (1955). *A behavioral model of rational choice*. *Quarterly Journal of Economics*, 69(1), 99–118.
26. Simon, H. A. (1956). *Rational choice and the structure of the environment*. *Psychological Review*, 63(2), 129–138.
27. Sweller, J. (1988). *Cognitive load during problem solving: Effects on learning*. *Cognitive Science*, 12(2), 257–285. https://doi.org/10.1207/s15516709cog1202_4
28. Tversky, A., & Kahneman, D. (1974). *Judgment under uncertainty: Heuristics and biases*. *Science*, 185(4157), 1124–1131. <https://doi.org/10.1126/science.185.4157.1124>
29. Tversky, A., & Kahneman, D. (1981). *The framing of decisions and the psychology of choice*. *Science*, 211(4481), 453–458. <https://doi.org/10.1126/science.7455683>
30. von Neumann, J., & Morgenstern, O. (1944). *Theory of games and economic behavior*. Princeton University Press.
31. Zaman, S. U., Ali, S. S., Alam, S. H., & Kamal, M. H. (2025). Assessing Student's Behavioral Intentions Towards AI Based Learning Tools. *Journal of Asian Development Studies*, 14(1), 656-672, <https://doi.org/10.62345/jads.2025.14.1.50>